## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(java or sun) same (documen\$4 and method) and (app\$6 near3 browser)	US-PGPUB; USPAT	OR	ON	2003/05/27 17:13
		java near4 (document\$ and method)	US-PGPUB; USPAT	OR	ON	2003/05/26 13:12
		java near4 (document\$ or method)	US-PGPUB; USPAT	OR	ON	2003/05/26 13:11
L1	0	(dynamic and develop and (web adj base) and task and application and annotation and keyword and link and code and source and descriptive and java and applet).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 13:18
L2	345	715/705.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 13:23
L3	145	715/709.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 13:23
_4	125	715/711.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 13:23
L5	58	715/714.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 13:23
L6	64	715/715.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 13:23

S1	4	((annotation near4 link\$1) and (predetermin\$4 and keyword) and (user near2 interface)) and "345"/\$. ccls.	US-PGPUB; USPAT	OR	ON	2005/04/15 13:01
S2	6	((annotation and link\$1) and (predetermin\$4 and keyword and cue) and (user near2 interface)) and "345"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2003/05/22 16:20
S3	6	((annotation and link\$1) and (keyword and cue) and (user near2 interface)) and "345"/\$. ccls.	US-PGPUB; USPAT	OR	ON	2003/05/22 16:20
S4	43	((annotation and link\$1) and (cue) and (user near2 interface)) and "345"/\$. ccls.	US-PGPUB; USPAT	OR	ON	2003/05/22 16:33
S5	1	("6226655"). <i>P</i> N.	US-PGPUB; USPAT; USOCR	OR	OFF	2003/05/22 16:30
S6	12	((annotation and link\$1) and (map\$4 and request \$3) and (web and (java near3 applet))and (user near2 interface)) and "345"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2003/05/22 16:42
S7	63	((annotation and link\$1) and (map\$4 and request \$3) and (web and (java near3 applet))and (user near2 interface))	US-PGPUB; USPAT	OR	ON	2003/05/22 16:43
S8	7	(((annotation and link\$1) and (map\$4 and request \$3) and (web and (java near3 applet))and (user near2 interface))) and @pd <= "19991217"	US-PGPUB; USPAT	OR	ON	2003/05/22 17:11
S9	1	("6275223").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2003/05/22 17:11
S10	1	("6275223").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2003/05/25 20:28
S11	1	"5432903".PN.	USPAT	OR	OFF	2003/05/25 21:06
S12	1	"5481667".PN.	USPAT	OR	OFF	2003/05/25 21:07
S13	1	"5493658".PN.	USPAT	OR	OFF	2003/05/25 21:08
S14	1	"5602996".PN.	USPAT	OR	OFF	2003/05/25 21:08
S15	1	"5717879".PN.	USPAT	OR	OFF	2003/05/25 21:09

S16	1	"5786815".PN.	USPAT	OR	OFF	2003/05/25 21:09
S17	1	"5798757".PN.	USPAT	OR	OFF	2003/05/25 21:09
S18	1	"5953011".PN.	USPAT	OR	OFF	2003/05/25 21:10
S19	9	("5432903"   "5481667"   "5493658"   "5602996"   "5717879"   "5786815"   "5798757"   "5883639"   "5953011").PN.	USPAT	OR	OFF	2003/05/25 21:10
S20	2	"6259445".URPN.	USPAT	OR	OFF	2003/05/25 21:11
S21	0	"6456303".URPN.	USPAT	OR	OFF	2003/05/25 21:14
S22	0	"6456303".URPN.	USPAT	OR	OFF	2003/05/25 21:14
S23	20	("5122972"   "5442759"   "5577186"   "5581684"   "5715415"   "5721853"   "5754176"   "5760771"   "5799292"   "5801702"   "5825355"   "5825356"   "5835092"   "5861884"   "5877757"   "5933140"   "6009429"   "6014134"   "6236989"   "6259445"). PN.	USPAT	OR	OFF	2003/05/25 21:14
S24	20	java near4 (documen\$4 and method)	US-PGPUB; USPAT	OR	ON	2003/05/26 13:21
S25	1276	(java or sun) same (documen\$4 and method)	US-PGPUB; USPAT	OR	ON	2003/05/26 15:13
S26	4	(((java or sun) same (documen\$4 and method)) and "345"/\$. ccls.) and annotation	US-PGPUB; USPAT	OR	ON	2003/05/26 13:38
S27	6	"6247020".URPN.	USPAT	OR	OFF	2003/05/26 15:11
\$28	23	("Re36422"   "5734882"   "5740444"   "5768510"   "5794259"   "5801689"   "5802334"   "5815154"   "5815415"   "5826254"   "5835712"   "5838906"   "5842020"   "5845298"   "5848424"   "5852439"   "5864676"   "5870559"   "5877766"   "5917498"   "5953525"   "6026362"   "6078327").PN.	USPAT	OR	OFF	2003/05/26 15:12

S29	18	(java or sun) same (documen\$4 and method) and (applic\$4 near3 browser)	US-PGPUB; USPAT	OR	ON	2003/05/26 15:17
S30	2	(java or sun) same (documen\$4 or method) and (app near3 browser)	US-PGPUB; USPAT	OR	ON	2003/05/26 15:18
S31	0	(java or sun) same (documen\$4 or method) and (app adj browser)	US-PGPUB; USPAT	OR	ON	2003/05/26 15:19
S32	1	(java or sun) and (documen\$4 or method) and (app adj browser)	US-PGPUB; USPAT	OR	ON	2003/05/26 15:20
S33	2	(java or sun) and (documen\$4 or method) and (AppBrowser)	US-PGPUB; USPAT	OR	ON	2003/05/26 15:22
S34	5	(java or cod\$4) same (appli\$5 near3 develop\$4) and (debug\$4 near4 (software or tool))	US-PGPUB; USPAT	OR	ON	2003/05/26 15:25
S35	1	("6392671").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2003/05/27 10:55
S36	92	((java or sun) same (documen\$4 and method)) and "345"/\$. ccls.	US-PGPUB; USPAT	OR	ON	2003/05/27 17:13
S37	14	(((java or sun) same (documen\$4 and method)) and "345"/\$. ccls.) and CGI	US-PGPUB; USPAT	OR	ON	2003/05/27 17:13
S38	13	(((((java or sun) same (documen\$4 and method)) and "345"/\$. ccls.) and CGI) and (server and (web near3 browser))	US-PGPUB; USPAT	OR	ON	2003/05/27 17:14
<b>S</b> 39	23	("Re36422"   "5734882"   "5740444"   "5768510"   "5794259"   "5801689"   "5802334"   "5815154"   "5815415"   "5826254"   "5835712"   "5838906"   "5842020"   "5845298"   "5848424"   "5852439"   "5864676"   "5870559"   "5877766"   "5917498"   "5953525"   "6026362"   "6078327").PN.	USPAT	OR	OFF	2004/03/30 18:07
S40	11	"6247020".URPN.	USPAT	OR	OFF	2004/03/30 18:09
S41	147	minard.in.	US-PGPUB; USPAT; EPO	OR	OFF	2004/03/30 18:10

S42	101	minard.in. and @pd <="19970717"	US-PGPUB; USPAT; EPO	OR	OFF	2004/03/30 18:40
S43	2	("9728073").PN.	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2004/03/30 18:41
S44	1	("6259445").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2004/03/30 18:41
S45	23	("Re36422"   "5734882"   "5740444"   "5768510"   "5794259"   "5801689"   "5802334"   "5815154"   "5815415"   "5826254"   "5835712"   "5838906"   "5842020"   "5845298"   "5848424"   "5852439"   "5864676"   "5870559"   "5877766"   "5917498"   "5953525"   "6026362"   "6078327").PN.	USPAT	OR	OFF	2004/04/05 13:57
S46	9	("4821211"   "5491795"   "5621905"   "5644736"   "5701137"   "5815154"   "5838319"   "5917492"   "5923328").PN.	USPAT	OR	OFF	2004/04/05 13:57
S47	1	"RE36422".PN.	US-PGPUB; USPAT	OR	OFF	2004/04/05 13:59
S48	1	"5734882".PN.	US-PGPUB; USPAT	OR	OFF	2004/04/05 13:59
S49	1	"5740444".PN.	US-PGPUB; USPAT	OR	OFF	2004/04/05 14:00
S50	1	"5768510".PN.	US-PGPUB; USPAT	OR	OFF	2004/04/05 14:02
S51	1	"5794259".PN.	US-PGPUB; USPAT	OR	OFF	2004/04/05 14:03
S52	1	"5801689".PN.	US-PGPUB; USPAT	OR	OFF	2004/04/05 14:03
S53	1	"5802334".PN.	US-PGPUB; USPAT	OR	OFF	2004/04/05 14:04
S54	1	"5815154".PN.	US-PGPUB; USPAT	OR	OFF	2004/04/05 14:04
S55	1	"5826254".PN.	US-PGPUB; USPAT	OR	OFF	2004/04/05 14:05
S56	1	"5835712".PN.	US-PGPUB; USPAT	OR	OFF	2004/04/05 14:05
S57	1	"5838906".PN.	US-PGPUB; USPAT	OR	OFF	2004/04/05 14:06
S58	1	"5842020".PN.	US-PGPUB; USPAT	OR	OFF	2004/04/05 14:06
S59	1	"5845298".PN.	US-PGPUB; USPAT	OR	OFF	2004/04/05 14:08

S60	1	"5845298".PN.	US-PGPUB; USPAT	OR	OFF	2004/04/05 14:08
S61	1	"5848424".PN.	US-PGPUB; USPAT	OR	OFF	2004/04/05 14:08
S62	1	"5852439".PN.	US-PGPUB; USPAT	OR	OFF	2004/04/05 14:09
S63	1	"5864676".PN.	US-PGPUB; USPAT	OR	OFF	2004/04/05 14:09
S64	1	"5870559".PN.	US-PGPUB; USPAT	OR	OFF	2004/04/05 14:10
S65	1	"5852439".PN.	US-PGPUB; USPAT	OR	OFF	2004/04/05 14:12
S66	1	"5864676".PN.	US-PGPUB; USPAT	OR	OFF	2004/04/05 14:12
S67	1	"5870559".PN.	US-PGPUB; USPAT	OR	OFF	2004/04/05 14:12
S68	1	"5877766".PN.	US-PGPUB; USPAT	OR	OFF	2004/04/05 14:13
S69	1	"5953525".PN.	US-PGPUB; USPAT	OR	OFF	2004/04/05 14:13
S70	1	"6026362".PN.	US-PGPUB; USPAT	OR	OFF	2004/04/05 14:13
S71	1	"6078327".PN.	US-PGPUB; USPAT	OR	OFF	2004/04/05 14:13
S72	6	("5095423"   "5117349"   "5129082"   "5339433"   "5432903"   "5557730"). PN.	USPAT	OR	OFF	2004/04/05 14:27
S73	14	"5740444".URPN.	USPAT	OR	OFF	2004/04/05 14:28
S74	2	(Frid-Nielsen.in.) and 345/854.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/05 14:31
S75	5	(Frid-Nielsen.in.) and "345"/\$.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/05 14:31
S76	4262	(predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/05 17:13
S77	4	((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/05 16:16
S78	247	((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2006/08/01 20:59

S79	243	(((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/05 16:16
S80	101	(((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212"	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/05 16:20
S81	9	(((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") and (web or (web adj browser))	US-PGPUB; USPAT; EPO	OR	COFF	2004/04/05 16:20
S82	4015	((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not ((((predetermin\$4 or program or link\$4)) and "345"/\$.	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/05 16:25

		\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) or (((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") and (web or (web adj browser))))				
S83	O	, , , , ,	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/05 16:25

		or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.)) and @pd <= "20001212") and (web or (web adj browser))))) and "345"/\$.ccls.				
S84	968	(((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <=	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/05 16:26

	"20001212") or (((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") and (web or (web adj browser))))) and (user near2 interface)				
S85 386	((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.)) or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.)) and @pd <= "20001212") or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345/854. ccls.)) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not ((((((predetermin\$3 with ((((((((((((((((((((((((((((((((((((	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/05

		\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") and (web or (web adj browser))))) and (user near2 interface)) and (web or (web adj brower))				
S86	7	(((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.)) or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345/854. ccls.)) and @pd <=	US-PGPUB; USPAT; EPO	OR	OFF	16:34

		"20001212") and (web or (web adj browser))))) and (user near2 interface)) and (web or (web adj brower))) and annotation			***************************************	
S87	371	(((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$.	US-PGPUB; USPAT; EPO	OR		2004/04/05 16:35
		brower))) and (annotation				

		or message)				
88	364	((((((predetermin\$3 with	US-PGPUB;	OR	OFF	2004/04/05
		(application\$1 or program	USPAT; EPO		· ·	16:35
		or link\$1)) same				
		(annotation or message\$1				
		or notif\$4)) not				
		((((predetermin\$3 with				
		(application\$1 or program				
		or link\$1)) same				
		(annotation or message\$1				
		or notif\$4)) and 345/854.				
		ccls.) or (((predetermin\$3				
		with (application\$1 or				
		program or link\$1)) same				
		(annotation or message\$1				
		or notif\$4)) and "345"/\$.				
		ccls.) or ((((predetermin\$3				
		with (application\$1 or				
		program or link\$1)) same				
		(annotation or message\$1				
		or notif\$4)) and "345"/\$.				
		ccls.) not (((predetermin				
		\$3 with (application\$1 or				
		program or link\$1)) same				
		(annotation or message\$1				
		or notif\$4)) and 345/854.				
		ccls.)) or (((((predetermin				
		\$3 with (application\$1 or				
		program or link\$1)) same				
		(annotation or message\$1				
		or notif\$4)) and "345"/\$.				
		ccls.) not (((predetermin				
		\$3 with (application\$1 or				
		program or link\$1)) same				
		(annotation or message\$1				
		or notif\$4)) and 345/854.				
		ccls.)) and @pd <=				
		"20001212") or				
		((((((predetermin\$3 with				
		(application\$1 or program				
		or link\$1)) same				
		(annotation or message\$1				
		or notif\$4)) and "345"/\$.				
		ccls.) not (((predetermin				
		\$3 with (application\$1 or				
		program or link\$1)) same				
		(annotation or message\$1				
		or notif\$4)) and 345/854.				
		ccls.)) and @pd <=				
		"20001212") and (web or			· ·	
		(web adj browser))))) and				
	-	(user near2 interface))				
		and (web or (web adj				
		brower))) and (annotation				
		or message)) not				
		((((((predetermin\$3 with				
		(application\$1 or program				
		or link\$1)) same	3	1	§	<b>\$</b>

Vannotation or massage <sup>61</sup>	: \$	:		
(annotation or message\$1				
or notif\$4)) not				
((((predetermin\$3 with				
(application\$1 or program				
or link\$1)) same				
(annotation or message\$1				
or notif\$4)) and 345/854.				
ccls.) or (((predetermin\$3				
with (application\$1 or				
program or link\$1)) same				
(annotation or message\$1				
or notif\$4)) and "345"/\$.				
ccls.) or ((((predetermin\$3				
with (application\$1 or				
program or link\$1)) same				
(annotation or message\$1				
or notif\$4)) and "345"/\$.				
ccls.) not (((predetermin				
\$3 with (application\$1 or				
program or link\$1)) same				
(annotation or message\$1				
or notif\$4)) and 345/854.				
ccls.)) or ((((predetermin				
\$3 with (application\$1 or				
program or link\$1)) same				
(annotation or message\$1				
or notif\$4)) and "345"/\$.				
ccls.) not (((predetermin				
\$3 with (application\$1 or				
program or link\$1)) same				
(annotation or message\$1				
or notif\$4)) and 345/854.				
ccls.)) and @pd <=				
"20001212") or				
((((((predetermin\$3 with				
(application\$1 or program				
or link\$1)) same				
(annotation or message\$1				
or notif\$4)) and "345"/\$.				
ccls.) not (((predetermin				
\$3 with (application\$1 or				
program or link\$1)) same				
(annotation or message\$1				
or notif\$4)) and 345/854.				
ccls.)) and @pd <=				
"20001212") and (web or				
(web adj browser))))) and				
(user near2 interface))				
and (web or (web adj				
brower))) and annotation)				
	·			<b>.</b>

(((((predetermin) \$\frac{3}{3}\) same (annotation or message\$1 or notif\$4) not ((((predetermin\$3\) with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4) and 345:854. ods) or ((((predetermin\$3\) with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4) and 345:854. ods) or ((((((predetermin\$3\) with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345:75. ods) or (((((((((((((((((((((((((((((((((((	COO	െ	((((((nrodotorming))	LIC DODLID:	OB		2004/04/05
or linkS1) same (annotation or message\$1 or notif\$4) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same ((annotation or message\$1 or notif\$4)) and 345/854, cols.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4) and 345/854, cols.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4) and 345/85, cols.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4) and 345/85, cols.) not ((((predetermin \$5 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4) and 345/854, cols.) or (((((predetermin \$5 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4) and 345/854, cols.) or (((((predetermin \$5 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4) and 345/854, cols.) or ((((predetermin \$5 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4) and 345/854, cols.) and @0d <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4) and 345/854, cols.) and @0d <= "20001212") and (web or (web ad) brower)))) and (user near2 interface)) and (web or (web ad) brower))) and (annotation or message\$1 or notif\$4)) and 345/854, cols.) and (@0d <= "20001212") and (web or (web ad) brower)))) and (unotation or message\$1 or notif\$4)) and off and and and and or link\$1)) and or message\$1 or notif\$4) and off and	S89	93	(((((((predetermin\$3 with	US-PGPUB;	OR	OFF	2004/04/05
(annotation or message\$1 or notif\$4)) not ((((predetermin\$3 with (application\$1 or program or lin\$51)) same (annotation or message\$1 or notif\$4)) and 345/554, ccls.) or ((((predetermin\$3 with (application\$1 or or program or lin\$51)) same (annotation or message\$1 or notif\$4)) and "345/\$. ccls.) or ((((predetermin\$3 with (application\$1 or or program or lin\$51)) same (annotation or message\$1 or notif\$4)) and "345/\$. ccls.) or (((((predetermin\$3 with (application\$1 or or program or lin\$51)) same (annotation or message\$1 or notif\$4)) and "345/\$. cols.) not (((((((predetermin \$5 with (application\$1 or program or lin\$51)) same (annotation or message\$1 or notif\$4)) and 345/\$84, cols.) or (((((((((((((((((((((((((((((((((((				USPAT; EPO			10:30
or notifs4) not  ((((predeterminS3 with							
(((((r)cedetermins3 with (applications1 or program or link\$1)) same (amnotation or message\$1 or notif\$4)) and 345/854. cds.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (amnotation or message\$1 or notif\$4)) and "345/5.\$. cds.) or ((((r)cedetermin\$3 with (application\$1 or program or link\$1)) same (amnotation or message\$1 or notif\$4)) and "345/5.\$. cds.) or (((((r)cedetermin\$3 with (application\$1 or program or link\$1)) same (amnotation or message\$1 or notif\$4)) and "345/5.\$. cds.) not (((((r)cedetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/54. cds.)) or ((((((r)cedetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/5.\$. cds.) not (((((((r)cedetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/5.\$. cds.) not (((((((((r)cedetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/5.\$. cds.) not (((((((((((r)cedetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/5.\$. cds.) not (((((((((((((((((((((((((((((((((((							
(applicationSt or program or inikSt)) same (annotation or messageSt or notifS4)) and 345/854. cods.) or ((predeterminS3 with (applicationSt or program or linkSt)) same (annotation or messageSt or notifS4)) and "345/%. cds.) or (((predeterminS3 with (applicationSt or program or linkSt)) same (annotation or messageSt or notifS4)) and "345/%. cds.) or (((predetermin S3 with (applicationSt or program or linkSt)) same (annotation or messageSt or notifS4)) and "345/%. cds.) not (((predetermin S3 with (applicationSt or program or linkSt)) same (annotation or messageSt or notifS4)) and 345/854. cds.)) or (((((predetermin S3 with (applicationSt or program or linkSt)) same (annotation or messageSt or notifS4)) and "345/%. cds.) not ((((predetermin S3 with (applicationSt or program or linkSt)) same (annotation or messageSt or notifS4)) and 345/854. cds.) not ((((predetermin S3 with (applicationSt or program or linkSt)) same (annotation or messageSt or notifS4)) and 345/854. cds.) and @pd <= "20001212") or (((((predetermin S3 with (applicationSt or program or linkSt)) same (annotation or messageSt or notifS4)) and "345/%. cds.) and @pd <= "20001212") and (web or (web ad) browser)))) and (user near2 interface)) and (web or (web ad) browser)))) and (user near2 interface)) and (web or (web ad) browser)))) and (annotation or message)) not ((((((credetermin S3 with (applicationSt or program or linkSt))) same or linkSt)) same							
or inink\$1)) same (annotation or message\$1 or notif\$4)) and 345/854, ccis.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345/5". ccis.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same ((annotation or message\$1 or notif\$4)) and "345/5". ccis.) not ((((()predetermin\$3 with (application\$1 or program or link\$1)) same ((annotation or message\$1 or notif\$4)) and 345/554. ccis.) not ((((()predetermin \$3 with (application\$1 or program or link\$1)) same ((annotation or message\$1 or notif\$4)) and "345/5". ccis.) not (((()predetermin \$3 with (application\$1 or program or link\$1)) same ((annotation or message\$1 or notif\$4)) and "345/5". ccis.) not (((()predetermin \$3 with (application\$1 or program or link\$1)) same ((annotation or message\$1 or notif\$4)) and "345/84. ccis.)) and @pd <= "20001212") or (((((()predetermin\$3 with ((application\$1 or program or link\$1)) same ((annotation or message\$1 or notif\$4)) and "345/\$. ccis.) not (((()predetermin\$3 with ((()prication\$1 or program or link\$1)) same (((()) and "345/\$. ccis.)) not (((()) and "345/\$. ccis.)) not ((()) and "345/\$. ccis.)) not ((()) and "345/\$. ccis.)) not ((()) and "345/\$. ccis.) not ((()) and (cis.) or program or (ink\$1)) and (cis.) or program or (ink\$1)) and (cis.) or program or (ink\$1) and "345/\$. ccis.) not ((()) and "345/\$. ccis.) not ((()) and (()) and ((			.,				
((annotation or message\$1 or notif\$4)) and 345/854, cds.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4) and "345/\$5, cds.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4) and "345/\$5, cds.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4) and "345/\$54, cds.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4) and 345/\$54, cds.) or ((((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4) and "345/\$5, cds.) not (((((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4) and "345/\$54, cds.) not (((((((((a) application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4) and "345/\$54, cds.) and @pd <= "20001212") or (((((((((((c) application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4) and "345/\$5. cds.) not (((((((((((((((((((((((((((((((((((							
or notif\$41) and 345/854.  cos.) or (((predetermin\$3) with (application\$1 or program or inin\$51) same (annotation or message\$1 or notif\$41) and "345/"\$.  cos.) or ((((predetermin\$3) with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$41) and "345/"\$.  cos.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$41) and 345/854.  cos.) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$41) and 345/854.  cos.) not (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$41) and "345/"\$.  cos.) not (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or program or link\$1)) same (annotation or message\$1 or program or link\$1)) same (annotation or message\$1 or notif\$41) and 345/854.  cos.)) and @pd <= "20001212") or (((((((((((c)determin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$41) and 345/854.  cos.), not (((((((((((((((((((((((((((((((((((							
cos.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notifs\$4) and "345".\$. cos.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or program or link\$1)) same (annotation or message\$1 or or notifs\$4) and "345".\$. cos.), not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notifs\$4)) and 345".\$5. cos.), or (((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notifs\$4)) and "345".\$5. cos.), or (((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notifs\$4)) and "345".\$5. cos.), not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notifs\$4)) and "345".\$5. cos.)) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1)) same (annotation or message\$1 or notifs\$4)) and "345".\$5. cos.), and (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notifs\$4)) and "345".\$5. cos.), and (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notifs\$4)) and "345".\$5. cos.), and (((((((((((((((((((((((((((((((((((							
with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "3457.\$. cots.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "3457.\$. cots.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. cots.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. cots.) not (((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345/\$. cots.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. cots.) and @pd <= "20001212") or ((((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. cots.) and @pd <= "20001212") or (((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345/\$. cots.) not (((((((((((((((((((((((((((((((((((			18				
program or link\$1)) same (annotation or message\$1 or notif\$4) and "3457\$. cols.) or ((((predetermin\$3) with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "3457\$. cols.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 3457854. cols.)) or (((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "3457\$. cols.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "3457\$. cols.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "3457\$. cols.)) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "3457\$. cols.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "3457\$. cols.), not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345854. cols.), and @pd <= "20001212") and (web or (web ad) browser)))))) and (user near2 interface)) and (web or (web ad) brower))) and (annotation or message)) not (((((((predetermin\$3 with (application\$1 or program or link\$1)) same							
(annotation or message\$1 or notif\$4)) and "345"\\$. cots.) or (((()foredetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"\\$. cots.) not ((()foredetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345'854. cots.) not ((()foredetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345'854. cots.) not ((()foredetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"\\$. cots.) not ((()foredetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345'854. cots.) and @pd = "20001212") or ((((()foredetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"\\$. cots.) not ((()foredetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"\\$. cots.) not ((()foredetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"\\$. cots.) not ((()foredetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"\\$. cots.) not ((()foredetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4) and "345"\\$.			with (application\$1 or				
or notifS4)) and "345"/\$. ccls.) or ((((predetermin\$3) with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) or (((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and ((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.) not (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4) and 345/854. ccls.) not (((((c))) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.) not ((((((c)))) and ((((c))) and (((c))) and ((c)) or (((((((c)))))) and ((((c)))) and (((c))) and (			program or link\$1)) same				
cols.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4) and "345"\$\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4) and 345/854. ccls.)) or (((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"\$\$. ccls.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"\$\$. ccls.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") or (((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"\$\$. ccls.) not ((((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4) and "345"\$\$. ccls.) not (((((((((((((((((((((((((((((((((((			(annotation or message\$1				
with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.) or (((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"\$. ccls.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4) and "345"\$. ccls.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4) and 345/854. ccls.)) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345"\$5. ccls.) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"\$5. ccls.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345'854. ccls.)) and @pd <= "20001212") and (web or (web ad) brower))) and (user near2 interface)) and (web or (web ad) brower))) and (annotation or message) not ((((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message)) not ((((((((((c) celetermin\$3 with (application\$1 or program or link\$1))) and (user near2 interface)) and (web or (web ad) brower))) and (application\$1 or program or link\$1)) same			or notif\$4)) and "345"/\$.				
program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. cds.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. cds.)) or (((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. cds.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. cds.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. cds.)) and @pd <= "20001212") or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. cds.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. cds.)) and @pd <= "20001212") ind (web or (web adj browser)))) and (user near2 interface)) and (web or (web adj brower))) and (annotation or message)) not (((((((predetermin\$3 with (application\$1 or program or link\$1)) same			ccls.) or ((((predetermin\$3				
(annotation or message\$1 or notif\$4)) and "345"\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) or (((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"\\$. ccls.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"\\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"\\$. ccls.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"\\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345/854. ccls.)) and @pd <= "20001212") and (web or (web adj brower))) and (web or (web adj brower)))) and (user near2 interface)) and (web or (web adj brower))) and (annotation or message)) not (((((((predetermin\$3 with (application\$1 or program or link\$1)) same or link\$1)) same			with (application\$1 or				
or notif\$4)) and "345"/\$, ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854, ccls.)) or ((((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$, ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854, ccls.) and ((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854, ccls.) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$, ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854, ccls.) and @pd <= "2001212") and (web or (web adj brower))) and (user near2 interface)) and (web or (web adj brower))) and (annotation or message)) not ((((((predetermin\$3 with (application\$1 or program or link\$1)) same			program or link\$1)) same				
or notif\$4)) and "345"/\$, ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854, ccls.)) or ((((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$, ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854, ccls.) and ((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854, ccls.) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$, ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854, ccls.) and @pd <= "2001212") and (web or (web adj brower))) and (user near2 interface)) and (web or (web adj brower))) and (annotation or message)) not ((((((predetermin\$3 with (application\$1 or program or link\$1)) same			· (* -				
ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.) or ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4) and 345/854. ccls.)) and @pd <= "20001212") or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and depd <= "20001212") and (web or (web adj brower))) and (web or (web adj brower))) and (annotation or message)) not ((((((predetermin\$3 with (application\$1 or program or link\$1)) same							
\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. cds.)) or (((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. cds.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. cds.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. cds.)) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1))) same (annotation or message\$1 or notif\$4)) and "345"/\$. cds.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. cds.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. cds.)) and @pd <= "20001212") and (web or (web adj brower))) and (explication\$1 or program or link\$1)) same or link\$1)) same							
program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) or (((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"\\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") or ((((((((((clse)))) same (annotation or message\$1 or notif\$4)) sand with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"\\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"\\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4) and "345"\\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") and (web or (web adj browser))))) and (user near2 interface)) and (web or (web adj brower))) and (annotation or message\$) not (((((((((clcedtermin \$3 with (application\$1 or program or link\$1)) same							-
(annotation or message\$1 or notif\$4) and 345/854. ccls.) or (((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"\\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.) and @pd <= "20001212") or (((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"\\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") and (web or (web adj browser))))) and (user near2 interface)) and (web or (web adj browser))))) and (annotation or message)) not ((((((((clpredetermin\$3 with (application\$1 or program or link\$1)) same or link\$1) same or link\$1) same							
or notif\$4)) and 345/854. ccls.)) or (((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$5. ccls.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$5. ccls.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") and (web or (web adj browser))))) and (user near2 interface)) and (web or (web adj browser))) and (annotation or message)) not ((((((((((clpredetermin\$3 with (application\$1 or program or link\$1)) same or link\$1)) same							
ccls.)) or (((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") and (web or (web adj browser))))) and (user near2 interface)) and (web or (web adj brower))) and (annotation or message)) not (((((((predetermin\$3 with (application\$1 or program or link\$1)) same or link\$1)) same or link\$1)) same							
\$3 with (application\$1 or program or link\$1) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") or (((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.)) and ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") and (web or (web adj brower))))) and (user near2 interface)) and (web or (web adj brower))) and (annotation or message)) not (((((((((predetermin\$3 with (application\$1 or program or link\$1))) same or link\$1)) same							
program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. cols.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. cols.)) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. cols.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. cols.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. cols.)) and @pd <= "20001212") and (web or (web adj browser))))) and (user near2 interface)) and (web or (web adj brower))) and (annotation or message)) not (((((((predetermin\$3 with (application\$1 or program or link\$1)) same							
(annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") or (((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4) and 345/854. ccls.)) and @pd <= "20001212") and (web or (web adj browser))))) and (user near2 interface)) and (web or (web adj brower))) and (annotation or message)) not (((((((predetermin\$2 with (application\$1 or program or link\$1))) same							
or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") and (web or (web adj browser))))) and (user near2 interface)) and (web or (web adj brower))) and (annotation or message)) not ((((((predetermin\$3 with							
ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") or (((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") and (web or (web adj browser))))) and (user near2 interface)) and (web or (web adj browser)))) and (annotation or message)) not (((((((predetermin\$3 with (application\$1 or program or link\$1)) same							
\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ecls.)) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ecls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ecls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ecls.)) and @pd <= "20001212") and (web or (web adj browser))))) and (user near2 interface)) and (web or (web adj brower))) and (annotation or message)) not ((((((predetermin\$3 with (application\$1 or program or link\$1)) same							
program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") and (web or (web adj browser))))) and (user near2 interface)) and (web or (web adj brower))) and (annotation or message)) not ((((((predetermin\$3 with (application\$1 or program or link\$1)) same							
(annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") and (web or (web adj browser))))) and (user near2 interface)) and (web or (web adj brower))) and (annotation or message)) not ((((((predetermin\$3 with (application\$1 or program or link\$1)) same							
or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") and (web or (web adj browser))))) and (user near2 interface)) and (web or (web adj brower))) and (annotation or message)) not ((((((predetermin\$3 with (application\$1 or program or link\$1)) same			,, ,				
ccls.)) and @pd <= "20001212") or (((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") and (web or (web adj browser))))) and (user near2 interface)) and (web or (web adj brower))) and (annotation or message)) not ((((((predetermin\$3 with (application\$1 or program or link\$1)) same							
"20001212") or (((((((predetermin\$3 with							
(((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") and (web or (web adj browser))))) and (user near2 interface)) and (web or (web adj brower))) and (annotation or message)) not ((((((predetermin\$3 with (application\$1 or program or link\$1)) same							
(application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") and (web or (web adj browser))))) and (user near2 interface)) and (web or (web adj brower))) and (annotation or message)) not ((((((predetermin\$3 with (application\$1 or program or link\$1)) same			- 1				
or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") and (web or (web adj browser))))) and (user near2 interface)) and (web or (web adj brower))) and (annotation or message)) not ((((((predetermin\$3 with							
(annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") and (web or (web adj browser))))) and (user near2 interface)) and (web or (web adj brower))) and (annotation or message)) not ((((((predetermin\$3 with							
or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") and (web or (web adj browser))))) and (user near2 interface)) and (web or (web adj brower))) and (annotation or message)) not (((((((predetermin\$3 with							
ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") and (web or (web adj browser))))) and (user near2 interface)) and (web or (web adj brower))) and (annotation or message)) not (((((((predetermin\$3 with (application\$1 or program or link\$1)) same							
\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") and (web or (web adj browser))))) and (user near2 interface)) and (web or (web adj brower))) and (annotation or message)) not ((((((predetermin\$3 with (application\$1 or program or link\$1)) same							
program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") and (web or (web adj browser))))) and (user near2 interface)) and (web or (web adj brower))) and (annotation or message)) not (((((((predetermin\$3 with							
(annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") and (web or (web adj browser))))) and (user near2 interface)) and (web or (web adj brower))) and (annotation or message)) not ((((((predetermin\$3 with (application\$1 or program or link\$1)) same							
or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") and (web or (web adj browser))))) and (user near2 interface)) and (web or (web adj brower))) and (annotation or message)) not ((((((predetermin\$3 with (application\$1 or program or link\$1)) same							
ccls.)) and @pd <= "20001212") and (web or (web adj browser))))) and (user near2 interface)) and (web or (web adj brower))) and (annotation or message)) not ((((((predetermin\$3 with (application\$1 or program or link\$1)) same							
"20001212") and (web or (web adj browser))))) and (user near2 interface)) and (web or (web adj brower))) and (annotation or message)) not ((((((predetermin\$3 with (application\$1 or program or link\$1)) same							
(web adj browser))))) and (user near2 interface)) and (web or (web adj brower))) and (annotation or message)) not (((((predetermin\$3 with							
(user near2 interface)) and (web or (web adj brower))) and (annotation or message)) not ((((((predetermin\$3 with (application\$1 or program or link\$1)) same							
and (web or (web adj brower))) and (annotation or message)) not ((((((predetermin\$3 with (application\$1 or program or link\$1)) same							
brower))) and (annotation or message)) not ((((((predetermin\$3 with (application\$1 or program or link\$1)) same							
or message)) not ((((((predetermin\$3 with (application\$1 or program or link\$1)) same							
((((((predetermin\$3 with (application\$1 or program or link\$1)) same							
(application\$1 or program or link\$1)) same							-
or link\$1)) same			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
							-
(annotation or messages)							
			(annotation of messages)				

il area and	<b>}</b>	\$	<b>t</b> ::	\$
or notif\$4)) not				
((((predetermin\$3 with				
(application\$1 or program				
or link\$1)) same				
(annotation or message\$1				
or notif\$4)) and 345/854.				
ccls.) or (((predetermin\$3				
with (application\$1 or				
program or link\$1)) same				
(annotation or message\$1				
or notif\$4)) and "345"/\$.				
ccls.) or ((((predetermin\$3				
with (application\$1 or				
program or link\$1)) same				
(annotation or message\$1				
or notif\$4)) and "345"/\$.				
ccls.) not (((predetermin				
\$3 with (application\$1 or				
program or link\$1)) same				
(annotation or message\$1				
or notif\$4)) and 345/854.				
ccls.)) or (((((predetermin				
\$3 with (application\$1 or				
program or link\$1)) same				
(annotation or message\$1				
or notif\$4)) and "345"/\$.				
ccls.) not (((predetermin				
\$3 with (application\$1 or				
program or link\$1)) same				
(annotation or message\$1				
or notif\$4)) and 345/854.				
ccls.)) and @pd <=				
"20001212") or				
((((((predetermin\$3 with				
(application\$1 or program				
or link\$1)) same				
(annotation or message\$1				
or notif\$4)) and "345"/\$.				
ccls.) not (((predetermin				
\$3 with (application\$1 or				
program or link\$1)) same				
(annotation or message\$1				
or notif\$4)) and 345/854.				
ccls.)) and @pd <=				
"20001212") and (web or				
(web adj browser))))) and				
(user near2 interface))				
and (web or (web adj				
brower))) and				
annotation)) and				
(predetermin\$4 near4				
application\$1)				
	<b>3</b>	¢	s	·

USPAT; EPO  ((((((predetermins3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.  cds.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345/"\$.  cds.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345/"\$.  cds.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.  cds.) or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854.  cds.) or (((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$5.  cds.) not (((((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$5.  cds.) not (((((((((((((((((((((((((((((((((((	600	20	(/////prodotormine)	LIC DODLID.	OD	OFF	0004/04/0E
or link\$1)) same (annotation or message\$1 or notif\$4)) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854, cds.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345/\$2, cds.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345/\$2, cds.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345/\$2, cds.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854, cds.)) or ((((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345/\$2, cds.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345/\$5, cds.) not (((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345/854, cds.) and @pd <= "20001212") or ((((((((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345/\$5, cds.), not (((((((((((((((((((((((((((((((((((	S90	20	(((((((predetermin\$3 with	US-PGPUB;	OR	OFF	2004/04/05
(amotation or message\$1 or notif\$4)) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (amotation or message\$1 or notif\$4)) and 345/854. cds.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and '345/8. cds.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and '345/8. cds.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and '345/8. cds.) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. cds.) not (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and '345/854. cds.) not (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and '345/854. cds.) and (((((((((predtermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and '345/854. cds.) and (((((((((((((((((((((((((((((((((((				USPAT; EPO			10:30
or notifs4)) not (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notifs4)) and 345/854, cots.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345/\$. cots.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345/\$. cots.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345/854, cots.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854, cots.) or (((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345/\$5. cots.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854, cots.)) and @pd <= "20001212") or ((((((predetermin\$3) with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854, cots.) not (((((predetermin\$3) with ((((predetermin\$3) with ((((((((((((((((((((((((((((((((((((							
(((()predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/85. ccls.) or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/85. ccls.) ind (((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. cds.) or ((((((((predetermin \$3 with ((((((((((((((((((((((((((((((((((((			.,.				
(application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345/5. ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.) or (((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345/\$5. ccls.) or ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4) and "345/\$5. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345/854. ccls.)) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345/\$5. ccls.) not ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345/\$5. ccls.) and @pd <= "20001212") and (web or							
or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4) and "345'/\$. ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4) and "345'/\$. ccls.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345'/\$. ccls.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.) or (((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345'/\$. ccls.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345/854. ccls.)) and @pd <= "20001212") or ((((((predetermin\$3) with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and ((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and ((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and ((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and ((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and ((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and ((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and ((predetermin application\$1 or program or link\$1) same (annotation or message\$1 or notif\$4) and 45/854. ccls.) and ((predetermin application\$1 or program or link\$1) same (annotation or message\$1							
(annotation or message\$1 or notif\$4)) and 345/854. cds.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345/\$. cds.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345/\$. cds.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345/854. cds.)) or (((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. cds.)) or (((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345/\$. cds.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. cds.) and (@pd <= "20001212") or ((((((predetermin\$3) with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. cds.) and (mpd <= "2001121") or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345/\$. cds.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345/\$. cds.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345/\$5. cds.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. cds.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. cds.) not (((((predetermin mpd							
or notif\$4)) and 345/854. ccls.) or ((((predetermin\$3) with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345/\$. ccls.) or (((((predetermin\$3) with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345/\$. ccls.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345/\$5. ccls.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345/\$5. ccls.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345/\$54. ccls.) and @pd <= "20001212") or ((((((predetermin\$3) with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345/\$5. ccls.) not (((predetermin\$3) with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345/\$5. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345/\$5. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345/\$5. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345/\$6. ccls.) and @pd <= "20001212") or "20001212") and (web or							
ccls.) or (((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345'854. ccls.)) or ((((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345'854. ccls.)) and (((((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345'854. ccls.)) and @pd <= "20001212") or ((((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345'/\$. ccls.) not (((((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345'/\$. ccls.) not ((((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345'/\$. ccls.) not (((((((((((((((((((((((((((((((((((							
with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. cols.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. cols.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$54. cols.)) or (((((predetermin \$5 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$54. cols.)) or (((((predetermin \$5 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. cols.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$54. cols.)) and @pd <= "20001212") or ((((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$54. cols.)) and @pd <= "2001121") and "345"/\$. cols.) not ((((predetermin \$5 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. cols.) not (((predetermin \$5 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. cols.) not (((predetermin \$5 with (application\$5 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. cols.) not (((predetermin \$5 with (application\$5 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/\$54. cols.)) and @pd <= "20001212") and (web or							
program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"\\$. cols.) or ((((predetermin\\$3 with (application\\$1 or program or link\\$1)) same (annotation or message\\$1 or notif\\$4)) and "345"\\$. cols.) not ((((predetermin \\$3 with (application\\$1 or program or link\\$1)) same (annotation or message\\$1 or notif\\$4)) and 345'\\$54. cols.) or (((((predetermin \\$3 with (application\\$1 or program or link\\$1)) same (annotation or message\\$1 or notif\\$4)) and 345'\\$54. cols.) or (((((predetermin \\$3 with (application\\$1 or program or link\\$1)) same (annotation or message\\$1 or notif\\$4)) and "345"\\$. cols.) not ((((predetermin \\$3 with (application\\$1 or program or link\\$1)) same (annotation or message\\$1 or notif\\$4)) and 345'\\$54. cols.) and @\partial or program or link\\$1) same (annotation or message\\$1 or notif\\$4)) and 345'\\$54. cols.) and @\partial or program or link\\$1) same (annotation or message\\$1 or notif\\$4)) and 345'\\$54. cols.) and @\partial or program or link\\$1) same (annotation or message\\$1 or notif\\$4)) and "345'\\$. cols.) not ((((predetermin \\$3 with (application\\$1 or program or link\\$1)) same (annotation or message\\$1 or notif\\$4)) and 345'\\$54. cols.)) and @\partial or program or link\\$1)) same (annotation or message\\$1 or notif\\$4)) and 345'\\$54. cols.)) and @\partial or program or link\\$1) same (annotation or message\\$1 or notif\\$4)) and 345'\\$54. cols.)) and @\partial or program or link\\$1) and \\$45'\\$54. cols.)) and @\partial or program or link\\$1) and \\$45'\\$54. cols.)) and @\partial or program or link\\$1) and \\$45'\\$54. cols.)) and @\partial or program or link\\$1) and \\$45'\\$54. cols.)) and \@\partial or program or link\\$1) and \\$45'\\$54. cols.)) and \@\partial or program or link\\$1) and \\$45'\\$54. cols.)) and \@\partial or program or link\\$1) and \\$45'\\$1.			ccls.) or (((predetermin\$3				
(annotation or message\$1 or notif\$4)) and "345"\$. ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345"854. ccls.) or ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"\$. ccls.) or (((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"\\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.) and @pd <= "20001212") or (((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"\\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4) and "345"\\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"\\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"\\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"\\$.			with (application\$1 or				
or notif\$4)) and "345"/\$. ccls.) or ((((()redetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) or ((((()redetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((()predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not ((()predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") or ((((()((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((()predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) and ((()predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) and @pd <= "20001212") and (web or			program or link\$1)) same				
ccls.) or ((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.) or (((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((((((((((((((((((((((((((((((((((			(annotation or message\$1				
with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) or (((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") and (web or			or notif\$4)) and "345"/\$.				
program or link\$1)) same (annotation or message\$1 or notif\$4) and "345"\\$. ccls.) not (((predetermin \$3 with (application\\$1 or program or link\\$1)) same (annotation or message\\$1 or notif\\$4)) and 345/854. ccls.)) or (((((predetermin \$3 with (application\\$1 or program or link\\$1)) same (annotation or message\\$1 or notif\\$4)) and "345"\\$. ccls.) not (((predetermin \$3 with (application\\$1 or program or link\\$1)) same (annotation or message\\$1 or notif\\$4)) and "345"\\$. ccls.) not (((predetermin \$3 with (application\\$1 or program or link\\$1)) same (annotation or message\\$1 or notif\\$4)) and 345/854. ccls.) and @pd <= "20001212") or (((((predetermin\\$3 with (application\\$1 or program or link\\$1)) same (annotation or message\\$1 or notif\\$4)) and "345"\\$. ccls.) not ((((predetermin \$3 with (application\\$1 or program or link\\$1)) same (annotation or message\\$1 or notif\\$4)) and "345"\\$. ccls.) not ((((predetermin \$3 with (application\\$1) or program or link\\$1)) same (annotation or message\\$1 or notif\\$4)) and 345/\\$5. ccls.) not (((((((((((((((((((((((((((((((((((			ccls.) or ((((predetermin\$3				
(annotation or message\$1 or notif\$4)) and "3457\\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) or (((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "3457\\$. ccls.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "3457\\$. ccls.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 3457\\$. ccls.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 3457\\$. ccls.)) and @pd <= "20001212") and (web or			with (application\$1 or				
or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) or (((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") or ((((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((((((((((((((((((((((((((((((((((			program or link\$1)) same				
or notif\$4)) and "345"/\$. ccls.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854, ccls.)) or (((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") or (((((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not ((((((((application\$1 or program or link\$1))) same (annotation or message\$1 or notif\$4)) and "345"/\$5. ccls.)) and @pd <= "2001212") and (web or							
ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) or (((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.)) and ((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") or ((((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") and (web or							
\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. cols.)) or (((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"\\$. cols.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. cols.)) and @pd <= "20001212") or (((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. cols.)) and @pd <= "20001212") or ((((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"\\$. cols.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. cols.)) and @pd <= "20001212") and (web or			ccls.) not (((predetermin				
program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) or (((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4) and 345/854. ccls.)) and @pd <= "20001212") and (web or							
(annotation or message\$1 or notif\$4)) and 345/854. ccls.)) or (((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"\\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"\\$. ccls.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"\\$. ccls.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") and (web or							
or notif\$4)) and 345/854. ccls.)) or (((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not ((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") and (web or			,, ,				
ccls.)) or (((((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") and (web or							
\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") or (((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") and (web or							
program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") and (web or							
(annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") and (web or							
or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") or (((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") and (web or							
ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") and (web or							
\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") or ((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") and (web or							
program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") or (((((((predetermin\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") and (web or							
(annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") or ((((((predetermin\$3 with							
or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") or ((((((predetermin\$3 with							
ccls.)) and @pd <= "20001212") or ((((((predetermin\$3 with			, ,				
"20001212") or ((((((predetermin\$3 with							
((((((predetermin\$3 with							
(application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") and (web or							
or link\$1)) same (annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") and (web or							
(annotation or message\$1 or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") and (web or							
or notif\$4)) and "345"/\$. ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") and (web or							
ccls.) not (((predetermin \$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") and (web or							
\$3 with (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") and (web or							***************************************
program or link\$1)) same (annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") and (web or							
(annotation or message\$1 or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") and (web or							
or notif\$4)) and 345/854. ccls.)) and @pd <= "20001212") and (web or							
ccls.)) and @pd <= "20001212") and (web or							
"20001212") and (web or							
$\mathfrak{g} = \mathfrak{g} = \mathfrak{g} \mathfrak{g} \mathfrak{g} \mathfrak{g} \mathfrak{g} \mathfrak{g} \mathfrak{g} \mathfrak{g}$							
(user near2 interface))							
and (web or (web adj							
brower))) and (annotation							
or message)) not							***************************************
((((((predetermin\$3 with							
((((((predetermings with (application\$1 or program							
or link\$1)) same							
(annotation or message\$1							
(amotation of mossagou)			(a.motation of message#1			}	

18	,	,	
or notif\$4)) not			
((((predetermin\$3 with			
(application\$1 or program			
or link\$1)) same			
(annotation or message\$1			
or notif\$4)) and 345/854.			
ccls.) or (((predetermin\$3			
with (application\$1 or			
program or link\$1)) same			
(annotation or message\$1			
or notif\$4)) and "345"/\$.			
ccls.) or ((((predetermin\$3			
with (application\$1 or			
program or link\$1)) same			
(annotation or message\$1			
or notif\$4)) and "345"/\$.			
ccls.) not (((predetermin			
\$3 with (application\$1 or			
program or link\$1)) same			
(annotation or message\$1			
or notif\$4)) and 345/854.			
ccls.)) or ((((predetermin			
\$3 with (application\$1 or			
program or link\$1)) same			
(annotation or message\$1			
or notif\$4)) and "345"/\$.			
ccls.) not (((predetermin			
\$3 with (application\$1 or			
program or link\$1)) same			
(annotation or message\$1			
or notif\$4)) and 345/854.			
ccls.)) and @pd <=			
"20001212") or			
((((((predetermin\$3 with			
(application\$1 or program			
or link\$1)) same			
(annotation or message\$1			
or notif\$4)) and "345"/\$.			
ccls.) not (((predetermin			
\$3 with (application\$1 or			
program or link\$1)) same			
(annotation or message\$1			
or notif\$4)) and 345/854.			
ccls.)) and @pd <=			
"20001212") and (web or			
(web adj browser))))) and			
(user near2 interface))			
and (web or (web adj			
brower))) and			
annotation)) and			
(predetermin\$4 near			
application\$1)			

CO1	61	(((((((nradatarmia#0:1-	LIC DODLIDA	OD	OFF	0004/04/0E
S91	61	(((((((predetermin\$3 with	US-PGPUB;	OR	OFF	2004/04/05
			USPAT; EPO			16:36
		or link\$1)) same				
		(annotation or message\$1				
		or notif\$4)) not				
		((((predetermin\$3 with				
		(application\$1 or program				
		or link\$1)) same				
		(annotation or message\$1				
		or notif\$4)) and 345/854.				
		ccls.) or (((predetermin\$3				
		with (application\$1 or				
		program or link\$1)) same				
		(annotation or message\$1				
		or notif\$4)) and "345"/\$.				
		ccls.) or ((((predetermin\$3				
		with (application\$1 or				
		program or link\$1)) same				
		(annotation or message\$1				
		or notif\$4)) and "345"/\$.				
		ccls.) not (((predetermin				
		\$3 with (application\$1 or				
		program or link\$1)) same				
		(annotation or message\$1				
		or notif\$4)) and 345/854.				
		ccls.)) or ((((predetermin				
		\$3 with (application\$1 or				
		program or link\$1)) same				
		(annotation or message\$1				
		or notif\$4)) and "345"/\$.				
		ccls.) not (((predetermin				
		\$3 with (application\$1 or				
		program or link\$1)) same				
		(annotation or message\$1				
		or notif\$4)) and 345/854.				
		ccls.)) and @pd <=				
		"20001212") or				
		((((((predetermin\$3 with				
		(application\$1 or program				
		or link\$1)) same				
	-	(annotation or message\$1				
		or notif\$4)) and "345"/\$.				
		ccls.) not (((predetermin				
	3	\$3 with (application\$1 or				
		program or link\$1)) same				
	***************************************	(annotation or message\$1				
		or notif\$4)) and 345/854.				
	-	ccls.)) and @pd <=				
		"20001212") and (web or				
		(web adj browser))))) and				
		(user near2 interface))				
		and (web or (web adj				
		brower))) and (annotation				
		or message)) not				
		((((((predetermin\$3 with				
		(application\$1 or program				
		or link\$1)) same				
	*****	(annotation or message\$1				
> *		.5	,	•	. •	· c : 2

S93	8	((predetermin\$3 same (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4) and (debug\$3 and software)) and "345"/ \$.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/05 17:14
S94	86	((predetermin\$3 same (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4) and (debug\$3 and software)) and ((launch\$3 or load\$3) near4 program)	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/05 17:18
S95	85	((((predetermin\$3 same (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4) and (debug\$3 and software)) and (((launch\$3 or load\$3) near4 program)) not ((((predetermin\$3 same (application\$1 or program or link\$1)) same (annotation or message\$1 or notif\$4) and (debug\$3 and software)) and "345"/ \$.ccls.)	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/05 18:09
S96	2325	cod\$4 and debugging same software	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/05 18:10
S97	899	cod\$4 same debugging same software	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/05 18:10
S98	1	(cod\$4 near4 debugging) same (software same annotation)	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/05 18:11
S99	8	(cod\$4 near4 debugging) and (software same annotation)	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/05 18:11
S100	9	(cod\$4 with debugging) and (software same annotation)	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/05 18:11
S101	10	(cod\$4 with (debugging or debug)) and (software same annotation)	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/05 18:12
S102	65	(cod\$4 and (debugging or debug)) and (software same annotation)	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/05 18:14

S103	55	((cod\$4 and (debugging or debug)) and (software same annotation)) not ((cod\$4 with (debugging or debug)) and (software same annotation))	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/05 18:12
S104	306	(cod\$4 and (debugging or debug)) and (software and annotation)	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/05 18:25
S105	251	((cod\$4 and (debugging or debug)) and (software and annotation)) not (((cod\$4 and (debugging or debug)) and (software same annotation)) not ((cod\$4 with (debugging or debug)) and (software same annotation)))	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/05 18:15
S106	28	(((cod\$4 and (debugging or debug)) and (software and annotation)) not (((cod\$4 and (debugging or debug)) and (software same annotation)) not ((cod\$4 with (debugging or debug)) and (software same annotation)))) and "345"/\$.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/05 18:16
S107	223	(((cod\$4 and (debugging or debug)) and (software and annotation)) not (((cod\$4 and (debugging or debug)) and (software same annotation)) not ((cod\$4 with (debugging or debug)) and (software same annotation)))) not (((cod\$4 and (debugging or debug)) and (software and annotation)) not (((cod\$4 and (debugging or debug)) and (software same annotation)) not ((cod\$4 with (debugging or debug)) and (software same annotation)))) and "345"/\$.ccls.)	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/05 18:16

S108	96	((((cod\$4 and (debugging or debug)) and (software and annotation)) not (((cod\$4 and (debugging or debug)) and (software same annotation)) not ((cod\$4 with (debugging or debug)) and (software same annotation)))) not (((cod\$4 and (debugging or debug)) and (software and annotation)) not (((cod\$4 and (debugging or debug)) and (software and annotation)) not ((cod\$4 and (debugging or debug)) and (software same annotation)) not ((cod\$4 with (debugging or debug)) and (software same annotation)))) and "345"/\$.ccls.)) and @pd <= "20001212"	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/05 18:16
S109	9	("4864569"   "4885717"   "5093914"   "5269014"   "5295242"   "5408667"   "5450586"   "5592600"   "5615333").PN.	USPAT	OR	OFF	2004/04/05 18:21
S110	17	(cod\$4 and (debugging or debug)) and ((software near4 version) and annotation)	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/05 18:26
S111	148	code and ((software near4 version) and annotation)	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/05 18:29
S112	142	(code and ((software near4 version) and annotation)) not ((((cod \$4 and (debugging or debug)) and (software and annotation)) not (((cod\$4 and (debugging or debug)) and (software same annotation)) not ((cod\$4 with (debugging or debug)) and (software same annotation)))) not (((cod\$4 and (debugging or debug)) and (software and annotation)) not (((cod\$4 and (debugging or debug)) and (software and annotation)) not ((cod\$4 and (debugging or debug)) and (software same annotation)) not ((cod\$4 with (debugging or debug)) and (software same annotation)))) and "345"/\$.ccls.)) and @pd <= "20001212")	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/05 18:27

S113	200	(software near4 version \$1) and (compar\$4 and annotation)	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/05 18:29
S114	78	((software near4 version \$1) and (compar\$4 and annotation)) not ((code and ((software near4 version) and annotation)) not ((((cod\$4 and (debugging or debug)) and (software and annotation)) not (((cod\$4 and (debugging or debug)) and (software same annotation)) not (((cod\$4 with (debugging or debug)) and (software same annotation)))) not (((cod\$4 and (debugging or debug)) and (software and annotation)) not (((cod\$4 and (debugging or debug)) and (software and annotation)) not (((cod\$4 and (debugging or debug)) and (software same annotation)) not ((cod\$4 with (debugging or debug)) and (software same annotation)))) and "345"/\$.ccls.)) and @pd <= "20001212"))	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/05 18:32
S115	610	((debugging or debug) same (tool or software)) and (web or (web near3 browser)) and (user near2 interface)	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/05 18:33
S116	63	(((debugging or debug) same (tool or software)) and (web or (web near3 browser)) and (user near2 interface)) and "345"/\$. ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/05 18:33
S117	6	("4744028"   "4807108"   "4866628"   "5119318"   "5260868"   "5369570"). PN.	USPAT	OR	OFF	2004/04/05 18:39
S118	23	("Re36422"   "5734882"   "5740444"   "5768510"   "5794259"   "5801689"   "5802334"   "5815154"   "5815415"   "5826254"   "5835712"   "5838906"   "5842020"   "5845298"   "5848424"   "5852439"   "5864676"   "5870559"   "5877766"   "5917498"   "5953525"   "6026362"   "6078327").PN.	USPAT	OR	OFF	2004/04/05 18:41

S119	267	(visual near2 basic) same (microsoft same environment)	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/06 14:27
S120	40	((visual near2 basic) same (microsoft same environment)) and "345"/ \$.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/06 13:45
S121	11	("4901221"   "5335320"   "5339392"   "5438659"   "5555369"   "5555370"   "5603034"   "5613058"   "5615367"   "5651108"   "5664208").PN.	USPAT	OR	OFF	2004/04/06 14:09
S122	6	("5247693"   "5297253"   "5442746"   "5444837"   "5576946"   "5631825"). PN.	USPAT	OR	OFF	2004/04/06 14:10
S123	227	((visual near2 basic) same (microsoft same environment)) not (((visual near2 basic) same (microsoft same environment)) and "345"/ \$.ccls.)	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/06 14:27
S124	81	(((visual near2 basic) same (microsoft same environment)) not (((visual near2 basic) same (microsoft same environment)) and "345"/ \$.ccls.)) and (web or (web near2 browser))	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/06 14:36
S125	15	("4710885"   "4723210"   "4739477"   "4969093"   "5033008"   "5129052"   "5133051"   "5181162"   "5339392"   "5347632"   "5491785"   "5557722"   "5621875"   "5630103"   "5644776").PN.	USPAT	OR	OFF	2004/04/06 14:30
S126	38	(((((visual near2 basic) same (microsoft same environment)) not (((visual near2 basic) same (microsoft same environment)) and "345"/\$.ccls.)) and (web or (web near2 browser))) and status	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/06 14:55
S127	0	(front near2 page) same (web or (web near2 page)) same (microsoft and windows)	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/06 14:57

S128	196	(front near2 page) and (web or (web near2 page)) same (microsoft and windows)	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/06 14:58
S129	9	((front near2 page) and (web or (web near2 page)) same (microsoft and windows)) and "345"/ \$.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/06 14:57
S130	187	((front near2 page) and (web or (web near2 page)) same (microsoft and windows)) not (((front near2 page) and (web or (web near2 page)) same (microsoft and windows)) and "345"/\$.ccls.)	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/06 14:58
S131	14	("5608874"   "5706502"   "5710883"   "5715397"   "5745360"   "5752022"   "5778367"   "5802299"   "5841432"   "5845084"   "5862346"   "5870552"   "5890170"   "5892909"). PN.	USPAT	OR	OFF	2004/04/06 15:00
S132	2	("5634095").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 18:41
S133	2	("6327628").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 18:41
S134	191	((keyword (key adj word) key-word) near4 (link\$1 text\$1 comment\$1 command\$1)) with (help annotation note descript \$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/30 18:19
S135	382	((keyword (key adj word) key-word) near4 (link\$1 text\$1 comment\$1 command\$1)) same (help annotation note descript \$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/30 14:09
S136	73592	(source near4 (code coding program application))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/30 14:25

S137	55	(((keyword (key adj word) key-word) near4 (link\$1 text\$1 comment\$1 command\$1)) with (help annotation note descript \$4)) and ((source near4 (code coding program application)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/30 14:42
S138	3	(((keyword (key adj word) key-word) near4 (link\$1 text\$1 comment\$1 command\$1)) with (help annotation note descript \$4)) with ((source near4 (code coding program application)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/30 14:41
S139	3	(((keyword (key adj word) key-word) near4 (link\$1 text\$1 comment\$1 command\$1)) with (help annotation note descript \$4)) same ((source near4 (code coding program application)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/30 14:41
S140	52	((((keyword (key adj word) key-word) near4 (link\$1 text\$1 comment\$1 command\$1)) with (help annotation note descript \$4)) and ((source near4 (code coding program application)))) not ((((keyword (key adj word) key-word) near4 (link\$1 text\$1 comment\$1 command\$1)) with (help annotation note descript \$4)) with ((source near4 (code coding program application))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/30 14:57
S141	37	(((((keyword (key adj word) key-word) near4 (link\$1 text\$1 comment\$1 command\$1)) with (help annotation note descript \$4) ) and ((source near4 (code coding program application)))) not ((((keyword (key adj word) key-word) near4 (link\$1 text\$1 comment\$1 command\$1)) with (help annotation note descript \$4) ) with ((source near4 (code coding program application))))) and (web	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/30 15:13

		HTML java applet)		***************************************		
S142	86	(((keyword (key adj word) key-word) near4 (link\$1 text\$1 comment\$1 command\$1)) same (help annotation note descript \$4) ) and ((source near4 (code coding program application)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/30 15:14
S143	10	(((keyword (key adj word) key-word) near4 (link\$1 text\$1 comment\$1 command\$1)) same (help annotation note descript \$4)) same ((source near4 (code coding program application)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/30 15:44
S144	86	(((keyword (key adj word) key-word) near4 (link\$1 text\$1 comment\$1 command\$1)) same (help annotation note descript \$4)) and ((source near4 (code coding program application)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/30 15:44
S145	34	((((keyword (key adj word) key-word) near4 (link\$1 text\$1 comment\$1 command\$1)) same (help annotation note descript \$4)) and ((source near4 (code coding program application)))) not ((((keyword (key adj word) key-word) near4 (link\$1 text\$1 comment\$1 command\$1)) with (help annotation note descript \$4)) and ((source near4 (code coding program application)))) not ((((keyword (key adj word) key-word) near4 (link\$1 text\$1 comment\$1 command\$1)) with (help annotation note descript \$4)) with ((source near4 (code coding program application)))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/30
S146	213	(((keyword (key adj word) key-word) near4 (link\$1 text\$1 comment\$1 command\$1)) same (help annotation note descript \$4)) and (web HTML java applet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/30 16:04

S147	69	(((keyword (key adj word) key-word) near4 (link\$1 text\$1 comment\$1 command\$1)) same (help annotation note descript \$4)) same (web HTML java applet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/30 16:04
S148	147342	(code coding) with (software tool\$1 application program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/30 18:14
S149	4671457	text comment\$1 command help helping annotation guide guidan \$3 guiding navigat\$4 debug\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/30 18:17
S150	19446	((code coding) with (software tool\$1 application program)) same (text comment\$1 command help helping annotation guide guidan \$3 guiding navigat\$4 debug\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/30 18:17
S151	5	((((code coding) with (software tool\$1 application program)) same (text comment\$1 command help helping annotation guide guidan \$3 guiding navigat\$4 debug\$4)) same (HTML web java applet)) same ((keyword (key adj word) key-word) near4 (link\$1 text\$1 comment\$1 command\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/30 18:22
S152	24	(((((code coding) with (software tool\$1 application program)) same (text comment\$1 command help helping annotation guide guidan \$3 guiding navigat\$4 debug\$4)) same (HTML web java applet)) and ((keyword (key adj word) key-word) near4 (link\$1 text\$1 comment\$1 command\$1))) not ((((code coding) with (software tool\$1 application program)) same (text comment\$1 command help helping	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/30 18:22

		annotation guide guidan \$3 guiding navigat\$4 debug\$4)) same (HTML web java applet)) same ((keyword (key adj word) key-word) near4 (link\$1 text\$1 comment\$1 command\$1)))				
S153	1851	(((code coding) with (software tool\$1 application program)) same (text comment\$1 command help helping annotation guide guidan \$3 guiding navigat\$4 debug\$4)) same (HTML web java applet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/30 20:06
S154	99	((((code coding) with (software tool\$1 application program)) same (text comment\$1 command help helping annotation guide guidan \$3 guiding navigat\$4 debug\$4)) same (HTML web java applet)) and ((HTML web java applet) same (keyword (key adj word) key-word))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/30 20:07
S155	29	((((code coding) with (software tool\$1 application program)) same (text comment\$1 command help helping annotation guide guidan \$3 guiding navigat\$4 debug\$4)) same (HTML web java applet)) and ((keyword (key adj word) key-word) near4 (link\$1 text\$1 comment\$1 command\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/30 20:08
S156	81	(((((code coding) with (software tool\$1 application program)) same (text comment\$1 command help helping annotation guide guidan \$3 guiding navigat\$4 debug\$4)) same (HTML web java applet)) and ((HTML web java applet) same (keyword (key adj word) key-word))) not (((((code coding) with (software tool\$1 application program))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/30 20:43

		same (text comment\$1 command help helping annotation guide guidan \$3 guiding navigat\$4 debug\$4)) same (HTML web java applet)) and ((keyword (key adj word) key-word) near4 (link\$1 text\$1 comment\$1 command\$1)))				
S157	70626	(source near4 (code program application))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/30 20:45
S158	27728	(compil\$4 tool software) with (HTML java applet "C ++" XML windows)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/30 21:07
S159	2013	((source near4 (code program application)) ) same ((compil\$4 tool software) with (HTML java applet "C++" XML windows))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/30 20:49
S160	84	(((source near4 (code program application))) same ((compil\$4 tool software) with (HTML java applet "C++" XML windows))) same (user near2 interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/30 20:49
S161	89	((compil\$4 tool software) with (HTML java applet "C ++" XML windows)) and 345/760.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/30 21:07
S162	88	(((compil\$4 tool software) with (HTML java applet "C ++" XML windows)) and 345/760.ccls.) not ((((source near4 (code program application))) same ((compil\$4 tool software) with (HTML java applet "C++" XML windows))) same (user near2 interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/30 21:07

S163	18	("5122972"   "5442759"   "5577186"   "5581684"   "5715415"   "5721853"   "5754176"   "5760771"   "5799292"   "5801702"   "5825355"   "5825356"   "5861884"   "5877757"   "5933140"   "6009429"   "6014134"   "6259445"). PN.	USPAT	OR	OFF	2004/09/30 21:17
S164	229367	(help helping note instruct \$4 guid\$5 debug\$4) near5 (window\$1 dialog\$1 box \$2 icon\$1 thumbnail\$1 frame\$1 display\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/01 14:15
S165	5050	((help helping note instruct \$4 guid\$5 debug\$4) near5 (window\$1 dialog\$1 box \$2 icon\$1 thumbnail\$1 frame\$1 display\$3)) with (link\$1 linked linking)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/01 14:12
S166	2491	(window\$1 dialog\$1 box \$2 icon\$1 thumbnail\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/01 14:12
S167	20	(((help helping note instruct\$4 guid\$5 debug \$4) near5 (window\$1 dialog\$1 box\$2 icon\$1 thumbnail\$1 frame\$1 display\$3)) near4 (link\$1 linked linking)) with (annotation\$1 keyword\$1 match\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/01 14:17
S168	121747	, , , ,	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/01 14:44
S169	2437	((help helping note instruct \$4 guid\$5 debug\$4) near5 (window\$1 dialog\$1 box \$2 icon\$1 thumbnail\$1 display\$3)) with (link\$1 linked linking URL\$1 HTML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/01 14:45

S170	31	(((help helping note instruct\$4 guid\$5 debug \$4) near5 (window\$1 dialog\$1 box\$2 icon\$1 thumbnail\$1 display\$3)) with (link\$1 linked linking URL\$1 HTML)) with (annotation\$1 keyword\$1 match\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/01 14:24
S171	21	((((help helping note instruct\$4 guid\$5 debug \$4) near5 (window\$1 dialog\$1 box\$2 icon\$1 thumbnail\$1 display\$3)) with (link\$1 linked linking URL\$1 HTML)) with (annotation\$1 keyword\$1 match\$4)) not (((help helping note instruct\$4 guid\$5 debug\$4) near5 (window\$1 dialog\$1 box \$2 icon\$1 thumbnail\$1 frame\$1 display\$3)) near4 (link\$1 linked linking)) with (annotation\$1 keyword\$1 match\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/01 14:18
S172	98	(((help helping note instruct\$4 guid\$5 debug \$4) near5 (window\$1 dialog\$1 box\$2 icon\$1 thumbnail\$1 display\$3)) with (link\$1 linked linking URL\$1 HTML)) same (annotation\$1 keyword\$1 match\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/01 14:45
S173	67	((((help helping note instruct\$4 guid\$5 debug \$4) near5 (window\$1 dialog\$1 box\$2 icon\$1 thumbnail\$1 display\$3)) with (link\$1 linked linking URL\$1 HTML)) same (annotation\$1 keyword\$1 match\$4)) not (((help helping note instruct\$4 guid\$5 debug\$4) near5 (window\$1 dialog\$1 box \$2 icon\$1 thumbnail\$1 display\$3)) with (link\$1 linked linking URL\$1 HTML)) with (annotation \$1 keyword\$1 match\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/01 14:25

S174	200312	(help helping note instruct \$4 guid\$5 debug\$4) with (window\$1 dialog\$1 box \$2 icon\$1 thumbnail\$1 display\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/01 14:45
S175	7388	((help helping note instruct \$4 guid\$5 debug\$4) with (window\$1 dialog\$1 box \$2 icon\$1 thumbnail\$1 display\$3)) with (link\$1 linked linking URL\$1 HTML web)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/01 14:45
S176	113	\$1 box\$2 icon\$1 thumbnail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/01 14:46
S177	233	\$1 box\$2 icon\$1 thumbnail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/01 14:46
S178	135	((((help helping note instruct\$4 guid\$5 debug \$4) with (window\$1 dialog \$1 box\$2 icon\$1 thumbnail \$1 display\$3)) with (link\$1 linked linking URL\$1 HTML web)) same (annotation\$1 keyword\$1 match\$4)) not ((((help helping note instruct\$4 guid\$5 debug \$4) near5 (window\$1 dialog\$1 box\$2 icon\$1 thumbnail\$1 display\$3)) with (link\$1 linked linking URL\$1 HTML)) same (annotation\$1 keyword\$1 match\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/01 14:46

S179	79	((((help helping note instruct\$4 guid\$5 debug \$4) with (window\$1 dialog \$1 box\$2 icon\$1 thumbnail \$1 display\$3)) with (link\$1 linked linking URL\$1 HTML web)) with (annotation\$1 keyword\$1 match\$4)) not ((((help helping note instruct\$4 guid\$5 debug \$4) near5 (window\$1 dialog\$1 box\$2 icon\$1 thumbnail\$1 display\$3)) with (link\$1 linked linking URL\$1 HTML)) same (annotation\$1 keyword\$1 match\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/04 09:48
S180	18	("5333266"   "5524193"   "5526407"   "5600775"   "5633916"   "5699089"   "5732216"   "5838313"   "5893087"   "5903892"   "5923848"   "5991365"   "6009462"   "6081829"   "6105055"   "6173287"   "6173317"   "6230172"). PN.	USPAT	OR	OFF	2004/10/01 14:54
S181	2	"6484156".URPN.	USPAT	OR	OFF	2004/10/01 14:55
S182	1	(annotation near5 (code coding)) with (debug\$4 near5 (application software tool program))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/04 09:55
S183	2	(annotation near5 (code coding)) same (debug\$4 near5 (application software tool program))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/04 09:58
S184	31	(annotation near5 (code coding)) and (debug\$4 near5 (application software tool program))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/04 10:00
S185	258	(annotation near5 (code coding))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/04 10:00
S186	35	((annotation near5 (code coding)) ) and "345"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/04 10:00

S187	2	("5883639").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/07 18:24
S188	2	("5953011").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/07 19:21
S189	28	"5883639".URPN.	USPAT	OR	OFF	2004/10/07 18:26
S190	769136	annotation comment bookmark explanat\$4 explaining explain	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/07 20:06
S191	4442904	((keyword near3 link\$1) or (annotation near2 link \$1) or (detail\$3 near3 description))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/08 08:50
S192	48522	(annotation comment bookmark explanat\$4 explaining explain) with (((keyword near3 link\$1) or (annotation near2 link \$1) or (detail\$3 near3 description)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/08 08:50
S193	42229	(annotation comment bookmark explanat\$4 explaining explain) near4 (((keyword near3 link\$1) or (annotation near2 link \$1) or (detail\$3 near3 description)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/08 08:51
S194	42229	(((keyword near3 link\$1) or (annotation near2 link \$1) or (detail\$3 near3 description))) with ((annotation comment bookmark explanat\$4 explaining explain) near4 (((keyword near3 link\$1) or (annotation near2 link \$1) or (detail\$3 near3 description))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/08 08:53

S195	207	((((keyword near3 link\$1) or (annotation near2 link \$1) or (detail\$3 near3 description))) with ((annotation comment bookmark explanat\$4 explaining explain) near4 (((keyword near3 link\$1) or (annotation near2 link \$1) or (detail\$3 near3 description))))) with (software application debug\$4 program\$4 track \$3 code coding)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/08 09:01
S196	21	, , , , , , , , , , , , , , , , , , , ,	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	2	2004/10/08 08:57
S197	634	((((keyword near3 link\$1) or (annotation near2 link \$1) or (detail\$3 near3 description))) with ((annotation comment bookmark explanat\$4 explaining explain) near4 (((keyword near3 link\$1) or (annotation near2 link \$1) or (detail\$3 near3 description))))) same (software application debug\$4 program\$4 track \$3 code coding)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	(	2004/10/08 09:17
S198	83	,,,,,	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/08 09:01

		(user near2 interface)				
S199	62	((((((keyword near3 link \$1) or (annotation near2 link\$1) or (detail\$3 near3 description))) with ((annotation comment bookmark explanat\$4 explaining explain) near4 (((keyword near3 link\$1) or (annotation near2 link \$1) or (detail\$3 near3 description))))) same (software application debug\$4 program\$4 track \$3 code coding)) and (user near2 interface)) not ((((((keyword near3 link \$1) or (annotation near2 link\$1) or (detail\$3 near3 description))) with ((annotation comment bookmark explanat\$4 explaining explain) near4 (((keyword near3 link\$1) or (annotation near2 link \$1) or (detail\$3 near3 description))))) with (software application debug\$4 program\$4 track \$3 code coding)) and (user near2 interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/08
S200	1	((((keyword near3 link\$1) or (annotation near2 link \$1) or (detail\$3 near3 description))) with ((annotation comment bookmark explanat\$4 explaining explain) near4 (((keyword near3 link\$1) or (annotation near2 link \$1) or (detail\$3 near3 description))))) same (help \$3 near3 (file\$1 topic window\$1 screen\$1 display))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/08

S201	221	or (annotation near2 link	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/08 09:20
S202	99	, , , , , ,	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	2	2004/10/08 09:21
S203	96	\$1) or (annotation near2 link\$1) or (detail\$3 near3 description))) with	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/08 09:21

		\$3 code coding)) and (user near2 interface)) not (((((((keyword near3 link \$1) or (annotation near2 link\$1) or (detail\$3 near3 description))) with ((annotation comment bookmark explanat\$4 explaining explain) near4 (((keyword near3 link\$1) or (annotation near2 link \$1) or (detail\$3 near3 description))))) with (software application debug\$4 program\$4 track \$3 code coding)) and (user near2 interface)))				
S204	16	"5933140".URPN.	USPAT	OR	OFF	2004/10/08 09:28
S205	7	("4974173"   "5001697"   "5390295"   "5408655"   "5436637"   "5493658"   "5760771").PN.	USPAT	OR	OFF	2004/10/08 09:29
S206	242978	(help helping note instruct \$4 guid\$5 debug\$4) near5 (window\$1 dialog\$1 box \$2 icon\$1 thumbnail\$1 frame\$1 display\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 14:46
S207	835703	annotation comment bookmark explanat\$4 explaining explain	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 15:01
S208	1552	S206 with S207	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 15:01
\$209	729	((((keyword near3 link\$1) or (annotation near2 link \$1) or (detail\$3 near3 description))) with ((annotation comment bookmark explanat\$4 explaining explain) near4 (((keyword near3 link\$1) or (annotation near2 link \$1) or (detail\$3 near3 description))))) same (software application debug\$4 program\$4 track \$3 code coding)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 15:01

S210	109	(((((keyword near3 link\$1) or (annotation near2 link \$1) or (detail\$3 near3 description))) with ((annotation comment bookmark explanat\$4 explaining explain) near4 (((keyword near3 link\$1) or (annotation near2 link \$1) or (detail\$3 near3 description))))) and (help \$3 near3 (file\$1 topic window\$1 screen\$1 display))) and (user near2 interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 15:03
S211	2	S208 and S209 and S210	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 15:03
S212	46876	(annotation comment bookmark explanat\$4 explaining explain) near4 (((keyword near3 link\$1) or (annotation near2 link \$1) or (detail\$3 near3 description)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 14:07
S213	729	((((keyword near3 link\$1) or (annotation near2 link \$1) or (detail\$3 near3 description))) with ((annotation comment bookmark explanat\$4 explaining explain) near4 (((keyword near3 link\$1) or (annotation near2 link \$1) or (detail\$3 near3 description))))) same (software application debug\$4 program\$4 track \$3 code coding)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 13:49
S214	109	((((((keyword near3 link\$1) or (annotation near2 link \$1) or (detail\$3 near3 description))) with ((annotation comment bookmark explanat\$4 explaining explain) near4 (((keyword near3 link\$1) or (annotation near2 link \$1) or (detail\$3 near3 description))))) and (help \$3 near3 (file\$1 topic window\$1 screen\$1 display))) and (user near2 interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 13:49

S215	166436	(code coding) with (software tool\$1 application program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 14:05
S216	4878490	text comment\$1 command help helping annotation guide guidan \$3 guiding navigat\$4 debug\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 14:07
S217	2	S212 with S215 with S216	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 14:06
S218	53785	(annotation comment bookmark explanat\$4 explaining explain) with (((keyword near3 link\$1) or (annotation near2 link \$1) or (detail\$3 near3 description)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 14:07
S219	11	S215 with S216 with S218	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 14:13
S220	12	S215 same S216 same S218	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 14:14
S221	1	S220 not S219	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 14:14
S222	2497	S215 and S216 and S218	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 14:14
S223	177	S222 and "715"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 14:15
S224	170	S223 not S220	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 15:14

S225	13160	(debug\$4) near5 (tool\$1 software application\$1 program\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 15:15
S226	1	S225 same S212	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 15:24
S227	0	("ep869433").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 15:24
S228	1	("0869433").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 15:24
S229	35391	"709"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2005/04/13 16:30
S230	1293738	(help\$3 guid\$4 debug\$4 (pop adj up) popup pop- up)	US-PGPUB; USPAT	OR	ON	2005/04/13 16:40
S231	13415	S229 and S230	US-PGPUB; USPAT	OR	ON	2005/04/13 16:44
S232	182	715/705.ccls.	US-PGPUB; USPAT	OR	ON	2005/04/13 16:46
S233	156	S230 and S232	US-PGPUB; USPAT	OR	ON	2005/04/13 17:56
S234	2370836	(mouse near3 over) select \$3 click\$3 hover\$4	US-PGPUB; USPAT	OR	ON	2005/04/13 17:58
S235	1153529	((pop adj up) pop-up popup) (balloon help) (tool tip\$1)	US-PGPUB; USPAT	OR	ON	2005/04/13 18:00
S237	43772	S235 and (internet and (HTML web))	US-PGPUB; USPAT	OR	ON	2005/04/13 18:01
S239	8	\$237 and (link\$1 same within same (tool near2 tip \$1))	US-PGPUB; USPAT	OR	ON	2005/04/13 18:13
S240	446	S237 and (link\$1 same within same (balloon or help))	US-PGPUB; USPAT	OR	ON	2005/04/13 18:14
S241	0	S237 and (link\$1 same within same (balloon near4 help))	US-PGPUB; USPAT	OR	ON	2005/04/13 18:14
S242	1	\$237 and (link\$1 same within same (balloon same help))	US-PGPUB; USPAT	OR	ON	2005/04/13 18:17

S243	5	S237 and (definition\$1 same (tool near2 tip\$1))	US-PGPUB; USPAT	OR	ON	2005/04/13 18:16
S244	38	S235 and (definition\$1 same (tool near2 tip\$1))	US-PGPUB; USPAT	OR	ON	2005/04/13 18:18
S245	2	("6092068").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 18:19
S246	2	S245 and (HTML URL (tool adj tip\$1) help\$3 tutor defin\$6 mouse hover over)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 18:35
S247	182	715/705.ccls.	US-PGPUB; USPAT	OR	ON	2005/04/13 19:56
S248	157	S235 and S247	US-PGPUB; USPAT	OR	ON	2005/04/13 19:56
S249	149	S234 and S235 and S247	US-PGPUB; USPAT	OR	ON	2005/04/13 19:58
S250	67	715/706.ccls.	US-PGPUB; USPAT	OR	ON	2005/04/13 19:58
S251	671230	S234 and S235	US-PGPUB; USPAT	OR	ON	2005/04/13 19:59
S252	38	S251 and S250	US-PGPUB; USPAT	OR	ON	2005/04/13 20:02
S253	60	715/707.ccls.	US-PGPUB; USPAT	OR	ON	2005/04/13 20:26
S254	41	S251 and S253	US-PGPUB; USPAT	OR	ON	2005/04/13 20:02
S255	152	715/708.ccls.	US-PGPUB; USPAT	OR	ON	2005/04/13 20:27
S256	123	S251 and S255	US-PGPUB; USPAT	OR	ON	2005/04/13 20:27
S257	79	715/709.ccls.	US-PGPUB; USPAT	OR	ON	2005/04/13 20:27
S258	67	S251 and S257	US-PGPUB; USPAT	OR	ON	2005/04/13 20:27
S259	29	715/710.ccls.	US-PGPUB; USPAT	OR	ON	2005/04/13 20:28
S260	55	715/711.ccls.	US-PGPUB; USPAT	OR	ON	2005/04/13 20:42
S261	44	S251 and S260	US-PGPUB; USPAT	OR	ON	2005/04/13 20:28
S262	35	715/712.ccls.	US-PGPUB; USPAT	OR	ON	2005/04/13 20:42
S263	46	715/713.ccls.	US-PGPUB; USPAT	OR	ON	2005/04/13 20:42

S264	30	715/714.ccls.	US-PGPUB; USPAT	OR	ON	2005/04/13 20:42
S265	22	715/715.ccls.	US-PGPUB; USPAT	OR	ON	2005/04/13 21:24
S266	22	715/715.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 21:24
S267	2	("6092068").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 18:37
S268	1	("6259445").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/01 19:25
S269	1	("6724401").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/01 19:25
S270	2749999	(mouse near3 over) select \$3 click\$3 hover\$4	US-PGPUB; USPAT	OR	ON	2006/08/01 20:50
S271	1358910	((pop adj up) pop-up popup) (balloon help) (tool tip\$1)	US-PGPUB; USPAT	OR	ON	2006/08/01 20:50
S272	814219	S270 and S271	US-PGPUB; USPAT	OR	ON	2006/08/01 20:50
S273	94	715/711.ccls.	US-PGPUB; USPAT	OR	ON	2006/08/01 20:50
S274	70	S272 and S273	US-PGPUB; USPAT	OR	ON	2006/08/01 20:50
S275	248	((front near2 page) and (web or (web near2 page)) same (microsoft and windows)) not (((front near2 page) and (web or (web near2 page)) same (microsoft and windows)) and "345"/\$.ccls.)	US-PGPUB; USPAT; EPO	OR	OFF	2006/08/01 20:56
S276	257	715/705.ccls.	US-PGPUB; USPAT	OR	ON	2006/08/01 20:50
S277	206	S270 and S271 and S276	US-PGPUB; USPAT	OR	ON	2006/08/01 20:50
S278	0	((front near2 page) same (web or (web near2 page)) same (microsoft and windows))	US-PGPUB; USPAT; EPO	OR	OFF	2006/08/01 20:56
S279	3	((front near2 page) same (web or (web near2 page)) same (microsoft and windows))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/01 20:58

S280	181	((front near2 page) same (web or (web near2 page)) and (microsoft and windows))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/01 20:58
S281	7772	((predetermin\$3 with (application or program or link)) same (annotation or message or notif\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/01 20:59
S282	9	S280 and S281	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/01 20:59
S283	206260	(develop\$4 coding code trac\$3 debug\$4 instruct \$3) with (link help url comment annotation note)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:50
S284	8151365	software application tool window	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:52
S285	34829	"715"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:52
S286	66590	"709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:52
S287	21575	S283 with S284	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:53
S288	50627	S283 same S284	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:53

S289	1763	S287 and S285	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:53
S290	174075	(develop\$4 coding code trac\$3 debug\$4 instruct \$3) with (link ((help comment) with (link file document url note bookmark)) url comment annotation note)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:55
S291	174075	S283 with S290	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:55
S292	17678	S284 with S290	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:55
S293	1453	S292 and S285	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:56
S294	8449072	software application tool program	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:56
S295	115196	(develop\$4 coding code trac\$3 debug\$4 instruct \$3) with (link ((help comment) with (link file document url note bookmark)) annotation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:57
S296	21510	S294 with S295	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:57
S297	1541	S296 and S285	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:58

S298	27092	(balloon near4 help) (tool near3 tip)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:59
S299	11	S296 with S298	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:59
S300	16	S296 same S298	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 15:00
S301	7	("6067559"   "6342907"   "6345292"   "6476828"   "6516321"   "6624826"   "6629097").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/15 15:17
S302	1	S301 and S283	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/15 15:18
\$303	6	("5179657"   "5347627"   "5347629"   "5923885"   "6005568"   "6054983"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/15 15:21
S304	2	S303 and S283	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/15 15:21
S305	125	715/711.ccls.	US-PGPUB; USPAT	OR	ON	2008/08/15 15:41
S306	64	715/715.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 15:41
S307	58	715/714.cdls.	US-PGPUB; USPAT	OR	ON	2008/08/15 15:41
S308	128	715/713.ccls.	US-PGPUB; USPAT	OR	ON	2008/08/15 15:41
S309	100	715/712.ccls.	US-PGPUB; USPAT	OR	ON	2008/08/15 15:41
S310	125	715/706.ccls.	US-PGPUB; USPAT	OR	ON	2008/08/15 15:41

8/16/2008 1:29:46 PM

C:\ Documents and Settings\ TChuong\ My Documents\ EAST\ Workspaces\ 09728073.wsp